Diabetes Deaths

Diabetes Deaths

•Most recent data (2014): 19.4 deaths per 100,000, including 396 deaths.

•Trend over time: 2000-14: falling

•Description: Deaths with diabetes mellitus as a primary cause of death

•Healthy People 2020 Goal: None listed for this indicator.

Diabetes deaths, King County, 2010-2014 average

	Rate	Lower CI	Upper CI	Count per Year
King County (all ages)	18.2	17.4	19.1	354
AGE		,		
<18	*	*	*	*
18-24	*	*	*	*
25-44	1.8	1.4	2.4	11
45-64	15.1	13.6	16.6	80
65+	115.4	109.3	121.8	263
GENDER				
Male	23.3	21.8	24.9	195
Female	14.3	13.3	15.4	159
RACE/ETHNICITY	,			
AIAN	35.9	21.7	57.9	5
Asian	15.9	13.6	18.6	35
Black	49.9	42.9	57.7	41
Hispanic	18.4	13.0	25.6	10
Multiple	10	4.8	19.0	3
NHPI	46.1	24.1	93.9	3
White	16.9	16.0	17.8	267
NEIGHBORHOOD POVERTY				
High	26.7	23.7	29.9	62
Medium	18.8	17.7	19.9	236
Low	12.6	11.2	14.3	55
REGION				
East	12.1	10.7	13.6	59
North	17.3	14.4	20.7	27
Seattle	19.4	17.8	21.1	120
South	21.9	20.3	23.6	146
STATE				
Washington State	21.9	21.4	22.4	1604

Comparisons:

Higher than King County rate (yellow) Lower than King County rate (green)

Notes:

Source: WAState DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 08/2016.

^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.


CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Diabetes deaths King County, 2010-2014 average



Source: WA State DOH, Center for Health Statistics, Death Certificates. Prepared by Public Health - Seattle & King County, APDE, 08/2016. ^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

§ Too few cases to meet precision standard, interpret with caution. Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Poverty = Neighborhood poverty levels defined by median household income.

^{|-----|} Confidence interval shows range that includes true value 95% of the time.
* Too few cases to protect confidentiality and/or report reliable rates.

Diabetes deaths by health reporting areas, King County, 2010-2014 average

	Rate	Lower CI	Upper CI	Count per Year
King County (all ages)	18.2	17.4	19.1	354
Auburn	25.6	20.2	32.1	16
Auburn-North	20.1	14.3	27.6	8
Auburn-South	35.5	25.0	49.2	8
Bear Creek/Carnation/Duvall	11.4	7.0	17.9	5
Bellevue	10.2	8.0	12.8	16
Bellevue-Central	16.0	10.9	23.1	7
Bellewe-NE	10.5	6.5	16.4	4
Bellevue-South	9.7	5.3	17.0	3
Bellewe-West	5.2 §	2.5 §	10.6 §	2
Black Diamond/Enumclaw/SE County	18.7	13.5	25.3	9
Bothell/Woodinville	11.5	7.2	17.8	5
Burien	20.6	15.4	27.2	11
Covington/Maple Valley	22.0	15.5	30.6	8
Des Moines/Normandy Park	17.7	12.6	24.5	9
East Federal Way	30	21.5	41.0	9
Fairwood	19.4	11.3	32.0	4
Federal Way	23.6	19.1	29.0	20
Fed Way-Central/Military Rd	28.3	19.1	35.8	15
Fed Way-Central/Military RdFed Way-Dash Point/Woodmont			-	
	16.5	10.2	25.4	5
Issaquah	13.3	8.4	20.8	5
Kenmore/LFP	12.6	8.0	19.2	5
Kent	25.1	20.7	30.3	24
Kent-East	21.7	14.4	31.5	6
Kent-SE	28.8	22.2	37.0	14
Kent-West	19.5	11.9	31.1	4
Kirkland	12.4	9.0	16.8	9
Kirkland	10.2	6.3	15.7	4
Kirkland North	16.2	10.2	24.7	5
Mercer Isle/Pt Cities	8.4	5.2	15.1	4
Newcastle/Four Creeks	19.0	11.8	29.4	5
North Highline	16.6	9.0	29.2	3
Redmond	16.8	11.6	23.7	7
Renton	21.8	17.9	26.3	23
Renton-East	15.6	9.2	25.3	4
Renton-North	23.1	15.9	32.7	7
Renton-South	24.0	18.2	31.1	12
Sammamish	14.3	7.6	24.8	3
SeaTac/Tukwila	22.4	15.9	30.8	9
Seattle	19.4	17.8	21.1	120
Ballard	15.3	10.6	21.8	7
Beacon/Gtown/S.Park	27.6	20.9	36.0	12
Capitol Hill/E.lake	17.1	11.5	25.6	6
Central Seattle	25.6	19.1	33.9	11
Delridge	33.7	23.6	47.1	8
Downtown	21.3	15.9	34.9	11
Fremont/Greenlake	12.4	7.7	19.7	5
NE Seattle	12.2	8.4	17.4	7
North Seattle	15.6	11.0	22.0	8
NW Seattle	20.4	15.2	27.6	11
QA/Magnolia	14.2	10.2	20	9
SE Seattle	32.1	24.8	41.0	14
West Seattle	17.3	13.0	23.1	12
Shoreline	22.4	17.8	28.3	17
Snoqualmie/North Bend/Skykomish	16.9	10	27.0	4
Vashon Island	9.0 §	3.8 §	25.6 §	2
Comparisons:				

Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

Notes:

Source: WAState DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 08/2016.

^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.


CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Diabetes deaths by health reporting areas King County, 2010-2014 average




Note: HRA labels on the map match the chart on the right, listed in alphabetical order Source: WA State DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 08/2016.

*Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

Diabetes deaths King County, 2000-2014, three-year rolling averages



^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.
Trends over time: King County (2000-14: falling); East KC (2000-14: flat); North KC (2000-14: flat); South KC (2000-14: flat); Washington State (2000-02: flat; 2002-14: falling)
Source: WA State DOH, Center for Health Statistics, Death Certificates.
Prepared by Public Health - Seattle & King County, APDE, 08/2016.

Produced by the

<u>Assessment, Policy Development & Evaluation Unit</u>

<u>Public Health - Seattle & King County</u>

08/16

